

patientslikeme®

Symptoms

- None
- Mild
- Moderate
- Severe

Function

High

Low

Last Update Sep 12, 2007

153

138

315

James Heywood

Free the Data

- With open data the world will figure out effective ways to inform, protect and improve my health.

Think for Me

- It is complicated, just tell me what I need to know when I need to know it. Use my information to inform me.

Open Safety Ecosystem


- Data from all sources should work together to deliver a personalized health and safety solution.

A great wind is blowing
and that gives you
either imagination or a
headache.'

- *Catherine the Great*



Empowered
Patients



Molecular
Medicine




Doctor Role



New Data
Sources



Cost/Value



Value =

Benefit

Cost




ALS: 9 yrs

alsking101
 Male, 37 years
 Newton, MA

Condition History
 Onset: Arms
 First symptom: 11/97
 Diagnosis: 12/98
 Genetics: Non-SOD1 ALS
 Deceased: 11/26/06

Profile Activity
 45752 Views
 29 Comments

Forum Activity
 5 posts
 3 helpful marks



Member since:
 11/04/05
 Last updated: 12/30/09
 Last login: 10/12/10

[ALS Public Registry](#)


About Me

Stephen Heywood passed away at Thanksgiving of 2006. His wonderful wife and amazing son still live in Newton, MA. Stephen is the inspiration for PatientsLikeME and his story is profiled in the documentary [SO MUCH SO FAST](#). You can donate to the [Stephen Heywood Fund](#). at ALS TDI [▼ More...](#)

- Profile**
- Feeds
- Comments (29)

- 1 mo
- 3 mo
- 6 mo
- 1 yr
- 2 yr
- All**

Nov 1, 1997 Drag the arrows or use the tools on the left to change the view of th... Nov 26, 2006



FRS

Progression rate percentile

- 90-95th (slow)
- 75-90th
- 25-75th (average)
- 10-25th
- 5-10th (rapid)

Deceased
 Nov 26, 2006

0
 Last score

Last update:
 Oct 1, 2006

Pregabalin Treatment Report

Category: Prescription Drugs

Most Popular Brands: Lyrica

Generic Name: Pregabalin

Overview

Individual Patient Evaluations

What is Pregabalin?

Pregabalin is an analgesic and anti-convulsant drug that is used to manage pain associated with diabetic peripheral neuropathy, postherpetic (shingles) neuralgia, as an adjunctive treatment for partial-onset seizure disorder in adults and for the management of fibromyalgia.

Reasons taken & Efficacy

Reasons taken	# of patients	Efficacy					# of patients evaluated by	
		Major	Moderate	Slight	None	Can't tell		
Fibromyalgia	1190	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	435
Pain	524	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	143	
Nerve pain	374	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	114	
Numbness and Tingling with Pins and Needles	91	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	24	
Other	90	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	19	
Muscle pain	81	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	25	

See all 129 reasons taken ▼

See all 2271 patients currently taking Pregabalin

Mouse over the table for more information

Side Effects

Side effects as an overall problem

Severe	200	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Moderate	219	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Mild	200	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
None	140	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>



Most commonly reported side effects

Weight gain	196	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Brain fog	113	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Dizziness	108	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Daytime sleepiness	108	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Lack of concentration	95	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Blurry vision	94	<div><div></div><div></div><div></div><div></div><div></div><div></div></div>

■ Mild ■ Moderate ■ Severe


See all 249 reported side effects ▼



See patients taking Pregabalin

Patient Evaluations

See all 759 patient evaluations




Brensui
150 mg daily
since Dec 09, 2008

Efficacy



Side Effects



for
Fibromyalgia

Advice/Tips

Start out at a low dose and work your way up. Try to stay on the lowest dose possible that will help control your pain. If you need to use during the day, us... [See full evaluation](#)



envyjoy
150 mg daily
since Jun 01, 2010

Efficacy



Side Effects



for
Fibromyalgia

[See full evaluation](#)



lilybet
since Sep 09, 2008

Efficacy



Side Effects



for Other

Advice/Tips

Overall, a very good medication, with multiple uses. [See full evaluation](#)



The NEW ENGLAND JOURNAL of MEDICINE


The Missing Voice of Patients

Ethan Basch, M.D.

A patient wants to know what side effects they may have from a prescription. Consulting the label's "Adverse Effects" section, she finds a wealth of data.

But this information, largely collected during clinical trials, is based almost entirely on clinicians' impressions of patients' symptoms — not on patients' own firsthand reports of their experiences with the drug.

The current drug-labeling practice for adverse events is based




Relative Strengths of Concordance of Patient-Reported versus Clinician-Reported Adverse Symptom Events with Overall Health Status.

approach that could add valuable inherent limitations of preapprov-

Pregabalin (Lyrica) Package Insert:

Weight Increase:


- What does this mean?
- How much weight?
- Over how long?
- Is it the same for:
Men/Women?
Overweight/Normal?
Sicker/healthier?




System Organ Class - Preferred term	150 mg/d [N=132] %	300 mg/d [N=502] %	450 mg/d [N=505] %	600 mg/d [N=378] %	All PGB* [N=1517] %	Placebo [N=505] %
Ear and Labyrinth Disorders						
Vertigo	2	2	2	1	2	0
Eye Disorders						
Vision blurred	8	7	7	12	8	1
Gastrointestinal Disorders						
Dry mouth	7	6	9	9	8	2
Constipation	4	4	7	10	7	2
Vomiting	2	3	3	2	3	2
Flatulence	1	1	2	2	2	1
Abdominal distension	2	2	2	2	2	1
General Disorders and Administrative Site Conditions						
Fatigue	5	7	6	8	7	4
Edema peripheral	5	5	6	9	6	2
Chest pain	2	1	1	2	2	1
Feeling abnormal	1	3	2	2	2	0
Edema	1	2	1	2	2	1
Feeling drunk	1	2	1	2	2	0
Infections and Infestations						
Sinusitis	4	5	7	5	5	4
Investigations						
Weight increased	8	10	10	14	11	2
Metabolism and Nutrition Disorders						
Increased appetite	4	3	5	7	5	1

Weight Gain Side Effect (Comparing Across Drugs)


Pregabalin
(Lyrica)






Gabapentin
(Neurontin)



Duloxetine
(Cymbalta)




Clinical Trial
(rxlist.com)




PatientsLikeMe
Treatment Evaluations

Observed Coincident Weight Change (lots of caveats)




Projected Growth in Annual AE Reporting



The human disease network


Kwang-Il Goh^{*†‡§}, Michael E. Cusick^{†¶||}, David Valle^{||}, Barton Childs^{||}, Marc Vidal^{†§¶**}, and Albert-László Barabási^{†‡**}

Human Disease Network



AS PNAS PNAS PNAS

Timeframe: Oct 27, 2006 — Nov 26, 2006



Treatments
 Botox
 Provigil
 Hydroxyurea
 Hyoscyamine
 Amitriptyline
 Detrol
 Allopurinol
 Prozac
 Rilutek
 Prilosec
 Mag Citrate
 CoQ10

ALS																	
Primary ALS Symptoms	Status																
▶ Stiffness/spasticity	♦ Moderate																
▶ Excess saliva	♦ Moderate	✓	+		✓	✓	+										
▶ Pain	♦ Moderate	-															
▶ Insomnia	♦ Mild		-		-	-				-	-						
▶ Fatigue	♦ Moderate		✓				-										
▶ Fasciculations	♦ None																
▶ Emotional lability	♦ Mild																
▶ Depression	♦ Moderate						+			✓	-						
▶ Constipation	♦ Moderate				-	-	-	-	+					✓	✓		
▶ Anxiety	♦ Mild				-												
Secondary Symptoms																	
Urinary urgency	♦ Moderate													✓			
Acid reflux	♦ Mild													✓			-
Other Conditions Update																	
Asthma																	

✓ Treatment purpose
 + Positive side-effect
 - Negative side-effect



The best way to predict
the future is to create it.

Peter Drucker