

A Mini-Sentinel Assessment of FDA Regulatory Policies for Long Acting Beta₂ Agonists

Melissa Butler, PharmD, MPH, PhD

Center for Health Research – Southeast Kaiser Permanente Georgia KP Center for Effectiveness and Safety Research

On behalf of the Mini-Sentinel LABA Workgroup

January 31, 2013



Mini-Sentinel LABA Workgroup

Name	Affiliation	Role
Esther Zhou	CDER/FDA	Co-Lead
Melissa Butler	Kaiser Permanente	Co-Lead
Fang Zhang	Harvard Pilgrim Health Care Institute	Member
Meghan Baker	Harvard Pilgrim Health Care Institute	Member
Ann Wu	Harvard Pilgrim Health Care Institute	Member
Mark Levenson	CDER/FDA	Member
Solomon Iyasu	CDER/FDA	Member
Yu-te Wu	CDER/FDA	Member
Darren Toh	Harvard Pilgrim Health Care Institute	Member
Pinsheng Wu	Vanderbilt	Member
Marsha Reichman	CDER/FDA	Member
Monika Houston	CDER/FDA	Member
Sally Seymour	CDER/FDA	Member



Mini-Sentinel Partner Organizations









KAISER PERMANENTE®



































Mini-Sentinel Key Feature

Assessment of the impact of FDA actions on utilization of medical products



Long Acting Beta₂ Agonists

- Mechanism of Action and Use
 - LABA are bronchodilators that relax the smooth muscle of the airways of the lungs
 - The onset of action tends to take longer and the duration of action is longer than short-acting beta₂ agonists
 - LABA are approved for treating both asthma and COPD
 - LABA may be steroid-spearing
- □ Safety concerns in asthma began in the 1990s



LABA Regulation and Safety Timeline

1994

Salmeterol aerosol approval

2000

Salmeterol / fluticasone diskus approval

2002

Formoterol phase IV trial initiated

2004

Additional

salmeterol

label changes

2006

- Salmeterol / fluticasone HFA approval
- Formoterol / budesonide approval
- SMART Study results published
- Public Health Advisory on new labeling

2008

FDA review stressed need for more pediatric data

1996

- Salmeterol diskus approval
- Reports of serious exacerbations and deaths reported with use of salmeterol
- SMART Study initiated

2003

- SMART Study ended early
- Salmeterol labeling changes to incorporate preliminary results of SMART

2005

- Label changes
- Information to healthcare professionals released
- Med Guides requested for LABA containing agents

FDA reviews risk and decides removal of salmeterol not warranted

2007

2010

- Label changes
- Safety
 information
 released to
 consumers
 and
 healthcare
 professionals
- Formoterol / mometasone approval

1993

Salmeterol Nationwide Surveillance Study (UK) published

2001

Formoterol fumerate approval



Overarching Goals of the Project

- To assess the impact of the FDA 2010 regulatory action on LABA drug utilization patterns
 - Population based prevalent use of asthma medications
 - Population based initiation of LABA products
 - Characteristics of LABA initiation and course of therapy
 - Uptake of use of combination LABA products
 - Appropriateness of LABA initiation
 - Length of therapy
 - Concomitant controller medication use
 - Characteristics of LABA discontinuation
 - Use of controller medications after discontinuation



Timeline





Quasi-Experimental Designs for Policy Analysis

Pooled analyses

□ Vs.

- Difference-in-difference
- Interrupted time series
- Extended Cox regression




Interrupted Time Series (ITS)

- One of the most rigorous quasi-experimental designs
- Multiple policies can be modeled over time
- □ ITS shows the immediate effect of a policy as well as trends over time
- The rolling cohort design allows individuals to enter and exit the study base



Mini-Sentinel Distributed Analysis






Making Distributed Analyses Efficient

- Use of multiple definitions
 - Number of outpatient visits for asthma
 - Position of diagnosis codes for hospitalizations
 - Discontinuation
- Identifying subgroups a priori
- Programming model alternatives for model diagnostics
 - Poisson and negative binomial
- Pooling individual site data
 - Additive process for ITS
 - Meta-analysis methods for other regression methods



Cohort Creation – Pooled Results





Summary of Overarching Goals to Date

- □ Changes in asthma medication use were not unique to LABA during the pre and post policy periods
 - Confirms the difficulty of selecting a control group
- Changes in LABA use started prior to the 2010 regulations



Re-Use of the LABA Framework

- To assess the impact new technology on utilization of medical products
- To assess changes in delivery systems on utilization of medical products
- To assess differences in state regulations on utilization of medical products
 - Allows for the possibility to include a comparison group in the ITS



Proposal Details Can be Found Here



PROTOCOL FOR THE ASSESSMENT OF FDA REGULATORY POLICIES FOR LONG ACTING BETA₂ AGONISTS

Prepared by: Melissa G. Butler, PharmD, MPH, PhD¹, Esther H. Zhou, MD, PhD², Fang Zhang, PhD³, Mark Levenson, PhD², Ann Chen Wu, MD, MPH^{3,4}, Solomon Iyasu, MD, MPH², Pingsheng Wu, PhD⁵, Yu-te Wu, PhD², Darren Toh, ScD³, Becky A. Briesacher, PhD⁶, Monika Houstoun, PharmD², Jeffrey Brown, PhD³, Sally Seymour, MD², Marsha Reichman, PhD², Meghan A. Baker, MD, ScD^{3,7}

www.mini-sentinel.org/work products/Assessments/Mini-Sentinel Impact-FDA-Regulatory-Policies-LABAs-Protocol.pdf



Thank You